HRA En USIUS The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii) PART II—Section 3—Sub-section (li)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 395] No. 395] नई दिल्ली, बृहस्पतिवार, जुलाई 1, 1999/आषाढ़ 10, 1921 NEW DELHI, THURSDAY, JULY 1, 1999/ASADHA 10, 1921

उद्योग मंत्रालय

(औद्योगिक विकास विभाग)

अधिसूचना

नई दिल्ली, 29 जून, 1999

का. आ. 523(अ).— केन्द्रीय सरकार, विस्फोटक अधिनियम, 1884 (1884 का 4) धारा 14 की उपधारा(2) द्वारा प्रदत्त शिक्तयों का प्रयोग करते हुए मैसर्स एच. एल. एस.,इण्डिया लिमिटेड, नई दिल्ली, को मैसर्स ओवेन आयल टूल्स इन्क., 8900, फोरमवे,, फोर्टवर्थ, टेक्सास, संयुक्त राज्य अमेरिका, से नई विल्ली हवाई अड्डे पर निम्नलिखित विस्फोटकों के आयात के लिए विस्फोटक नियम, 1983 (इसके पश्चात् उक्त नियमों के रूप में निर्दिष्ट) के नियम 31(2) के प्रवर्तन से छूट देती है अर्थात:—

कम.सं	विस्फोटक का नाम	यु.एन.सं.	क्लास	<u>नेट वेट</u> किलोग्राम	अधिकतम् नेट मात्रा प्रति पैकेज किलो ग्राम
1.	कार्ड, डिटोनेटिंग	0289	1.4डी	22.70	75
2.	चार्जेस, शेप्ड	0441	1.4 एस	817.40	100

चपर वर्णित विस्फोटक , निम्नलिखित शर्तों पर आयात किए जागेंगे ।

1. सिविल विमानन महा निदेशक और भारत अन्तराष्ट्रीय विमान पत्तन प्राधिकरण से आवश्यक स्वीकृति प्राप्त की जाएगी और उपर्युक्त दो प्राधिकरणों क्षारा लगाई गई शर्तों , यदि कोई हों , का सख्ती से पालन किया जाएगा

(1)

- अन्तराष्ट्रीय विमान परिवहन संगम खतरनाक माल विनियम , 1996 की धारा 3 में लिए गए वर्गीकरण के केवल प्रभाग 1,4 के अनुरूप विस्फोटकों का ही आयात किया जाएगा ;
- 3. नियम 31 के उपनियम 2 के सिवाय , उक्त नियमों में यथाअंतर्विष्ट विस्फोटकों के कब्जा , परिवहन , प्रयोग और आयात से संबंधित सुसंगत उपबंधों का ककाई से पालन किया जाएगा ;
- 4. उक्त नियमों के अवीन , अनुक्रप्त पर्याप्त संख्या में विस्फोटक कैन, विमानपत्तन पर तैयार रखे जायेंगे, जिससे कि विस्फोटकों को वायुयान के उतारते ही शीखता से हटाया जा सके ;
- 5. वायुयान को विमानपत्तन पर दूरस्थ स्थान पर खंडा किया जाएगा और विस्फोटकी का वायुयान से वैनों में अंतरण आरंग करने से पहले महानिदेशक, सिविल विमानन के परामर्श से पर्याप्त संख्या में सुखा गाडों का प्रबन्ध कर वायुयान और विस्फोटक वैन के चारों ओर कम से कंम 500 वर्ग मीटर क्षेत्र को घेर लिया जाएगा । इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूरा नहीं कर लिया जाता है और सम्यक् रूप से बंद वैन उस स्थल को छोड़ नहीं देती है:
- घेरा बंद बेत्र के अन्दर कोई घूमपान या खुली बस्ती के उपयोग की अनुमति नहीं दी जाएगी; और
- 7. विस्फोटकों को ले जा रही वैन उक्त नियमों के अधीन अनुङ्गाल मंझारकरण मैगजीन की ओर अग्रसर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जाएगा और विस्फोटक परिवहन के दौरान उक्त नियमों के सभी उपबंधों और स्थानीय यातायात नियमों और नगरपालिका विनियमों का पालन किया जाएगा ।

[फा. सं. 2(5)/99 विस्फोटक] एस. नारायन, सर्विव

MINISTRY OF INDUSTRY

(Department of Industrial Development)

NOTIFICATION

New Delhi, the 29th June, 1999

S.O. 523(E).— In exercise of the powers conferred by sub-section (2) of section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. HLS India Ltd., New Delhi from observance of sub-rule (2) of rule 31 of the Explosives Rules, 1983 (hereinafter referred to as the said rules), for import of the following explosives from M/s.Owen Oil Tools Inc, 8900, Fowaryway, Fortworth, United States of America at New Delhi airport, namely:-

Serial number	Name of the explosive	U.N. number	Class	Net Weight (in kilograms)	Maximum net quantity per package(in kilograms)
1.	Cord, Detonating	0289	1.4D	22.70	75
2.	Charges, Shaped	0441	1.45 '	817.40	100

- 2. The explosives mentioned in paragraph 1 shall be imported subject to the following conditions, namely:-
- (1) necessary clearances are obtained from the Director General of Civil Aviation and the International Airports Authority of India and conditions, if any, imposed by these two authorities shall be strictly complied with:
- (2) the explosives conforming only to Division 1.4 of the classification given in section 3 of the International Air Transport Association Dangerous Goods Regulations, 1996 shall be imported;
- (3) the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the said rules, except sub-rule(2) of rule 31, shall be strictly complied with;
- (4) adequate number of explosives vans, licensed under the said rules, shall be kept ready at the airport so that the explosives may be removed expeditiously from the aircraft after its landing;
- (5) the aircraft shall be parked at a remote place at the airport and an area of at least five hundred square metres around the aircraft and explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from aircraft to van is started. The arrangement shall continue till such transfer is completed and the van, duly locked, leaves the site;
- (6) no smoking or use of naked light shall be permitted within the cordoned area; and
- (7) the vans carrying the explosives shall proceed to the storage magazines licensed under the said rules and no undue delay shall be made on the way and all provisions of the said rules and local traffic rules and municipal regulations shall be complied with during the transportation of the explosives.

अधिसूचना नई दिल्ली, 29 जून, 1999

का. आ. 524(अ).— केन्द्रीय सरकार, विस्फोटक अधिनियम, 1884 (1884 का 4) धारा 14 की उपधारा(2)द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए मैसर्स एच. एल. एस., इण्डिया लिमिटेड, नई दिल्ली, को मैसर्स हैलीबर्टन एनर्जी सर्विसेस,1100 एक्सैन रोड, फोर्टक्य, टेक्साससंयुक्त राज्य अमेरिका, से नई दिल्ली हवाई अब्डे पर निम्नलिखित विस्फोटकों के आयात के लिए विस्फोटक नियम, 1983 (इसके पश्चात् उक्त नियमों के रूप में निर्दिष्ट) के नियम 31(2)के प्रवर्तन से छूट देती है अर्थात् :—

<u>कम.सं.</u>	विस्फोटक का माम	<u>यू.एन,सं.</u>	क्लास	नेट वेट किलोग्राम	अधिकतम् नेट मात्रा प्रति पैकेज किलोग्राम
1.	डिटो नेटर्स, इलेक्ट्रिक	0456	1.4एस	0.87	100
2.	कार्ड, बिटोनेटिंग, माइल्ड इफेक्ट	0104	্1.4 স্তী	0.02	75
3.	इंग्नाइटर्स	0325	1.4 जी	0.32	75
4.	आर्टिकरूस, एक्स्प्लोसिव, एन. ओ. एस.	0349	1.4 एस	4.17	100
5.	कार्द्धिजेस, पावर डिवाइस	0323	1.4 एस	36.29	100

चपर वर्णित विस्कोटक , भिम्नलिखित शर्तों पर क्षायात किए जायेंगे ।

- सिविल विमानन महा निदेशक और माएत अन्तराष्ट्रीय विमान पत्तन प्राविकरण से आवश्यक स्वीकृति प्राप्त की जाएगी और चंपर्युक्त दो प्राविकरणों द्वारा लगाई गई शर्तों , यदि कोई हों , का सख्ती से पालन किया जाएगा
- अन्तराष्ट्रीय विमान परिवहन संगम खतरनाक माल विनियम , 1996 की घारा 3 में लिए गए वर्गीकरण के केवल प्रमाग 1,4 के अनुरूप विस्फोटकों का है। आयात किया जाएगा ;
- निर्धम 31 के उपनियम 2 के सिवाय , उक्त नियमों में यथाअंतर्विष्ट विस्फोटकों के कब्जा , परिवहन , प्रयोग और आयात से संबंधित सुसंगत उपकार का कहाई से पालन किया जाएगा ;
- उक्त नियमों के अधीन , अनुक्रपा पर्धापा संख्या में विस्फोटक वैन, विमानपत्तान पर तैयार रखे जायेंगे, जिससे कि विस्फोटकों को वायुवान के उत्तरते ही शीध-ता से हटाया जा सके ;
- 5. वायुवान को विमानपत्तन पर दूरस्थ स्थान पर खड़ा किया जाएगा और विस्फोटकों का वायुवान से वैनों में अंतरण आरंप करने से पहले महानिवेशक, सिविल विमानन के परामर्श से पर्याप्त संख्या में सुख्ता गाड़ों का प्रबन्ध कर वायुवान और विस्फोटक वैन के चारों ओर कम से कम 500 वर्ग मीटर क्षेत्र को घेर लिया जाएगा 1 इंतजाम तब तक जारी रहेगा जब तक कि अंतरण पूरा नहीं कर लिया जाता है और सम्यक् रूप से बंद वैन उस स्थल को छोड़ नहीं वेती है ;

- 6. घेरा बंद क्षेत्र के अन्दर कोई सूमपान या खुली बत्ती के उपयोग की अनुमति नहीं दी जाएगी ; और
- 7. विस्फोटकों को ले जा रही वैन उक्त नियमों के अधीन अनुक्रप्त भंडारकरण मैगजीन की ओर अग्रसर होगी और रास्ते में कोई अनुचित विलंब नहीं किया जाएगा और विस्फोटक परिवहन के दौरान उक्त नियमों के समी उपबंधों और स्थानीय यातायात नियमों और नगरपालिका विनियमों का पालन किया जाएगा ।

[फा. सं. 2(5)/99 विस्फोटक] एस. नारायन, सचिर

NOTIFICATION

New Delhi, the 29th June, 1999

S. O. 524(E).— In exercise of the powers conferred by sub-section (2) of section 14 of the Explosives Act, 1884 (4 of 1884), the Central Government hereby exempts M/s. HLS India Ltd., New Delhi from observance of sub-rule (2) of rule 31 of the Explosives Rules, 1983 (hereinafter referred to as the said rules), for import of the following explosives from M/s. Halliburton Energy Services, 1100 Everman Road, Fort Worth, Texas, United States of America at New Delhi airport, namely:-

Serial number	Name of the explosive	U.N. number	Class	Net Weight (in kilograms)	Maximum net quantity per package(in kilograms)
1.	Detonators, Electric	0456	1.48	0.87	100
2.	Cord, Detonating, Mild effect	0104	1.4D	0.02	75
3.	Igniters	0325	1.4G	0.32	75
4.	Articles, Explosive, N.O.S.	0349	1.48	4.17	100
5.	Cartridges, Power Device	0323	1.48	36.29	100

- 2. The explosives mentioned in paragraph 1 shall be imported subject to the following conditions, namely:-
- (1) necessary clearances are obtained from the Director General of Civil Aviation and the International Airports Authority of India and conditions, if any, imposed by these two authorities shall be strictly complied with;
- (2) the explosives conforming only to Division 1.4 of the classification given in section 3 of the International Air Transport Association Dangerous Goods Regulations, 1996 shall be imported;
- (3) the relevant provisions relating to the possession, transport, use and import of explosives, as contained in the said rules, except sub-rule(2) of rule 31, shall be strictly complied with;
- (4) adequate number of explosives vans, licensed under the said rules, shall be kept ready at the airport so that the explosives may be removed expeditiously from the aircraft after its landing;
- (5) the aircraft shall be parked at a remote place at the airport and an area of at least five hundred square metres around the aircraft and explosives van shall be cordoned off by providing adequate number of security guards in consultation with the Director General of Civil Aviation before the transfer of explosives from aircraft to van is started. The arrangement shall continue till such transfer is completed and the van, duly locked, leaves the site;
- (6) no smoking or use of naked light shall be permitted within the cordoned area; and
- (7) the vans carrying the explosives shall proceed to the storage magazines licensed under the said rules and no undue delay shall be made on the way and all provisions of the said rules and local traffic rules and municipal regulations shall be complied with during the transportation of the explosives.

[F. No. 2(5)/99-Expl.] S. NARAYAN, Secy.